

The Solar Water Heating System Facility for the Red Sea and South Sinai Hotels

Eligibility Criteria

In order to operate within the present mechanism, solar thermal system designers, manufacturers, vendors, installers and maintenance operators shall undergo a pre-selection process in order to be inscribed in a registry maintained and regularly updated by NREA.

To be included in the registry, companies shall fulfill the following main pre-requisites and provide supporting documentation as necessary. All information shall be duly documented (please include also CV of relevant personnel, as appropriate).

Eligibility criteria for solar thermal system designers

- ⇒ Having a minimum of 3 years of experience in the solar thermal sector
- ⇒ Having designed a minimum of 5 systems, of which at least 1 collective solar thermal system
- ⇒ Provide evidence of compliance with all applicable legislation in the sector

Eligibility criteria for solar thermal system suppliers (manufacturers and vendors)

- ⇒ Having a minimum of 3 years of experience in the solar thermal sector
- ⇒ Having manufactured or sold a minimum of 10 systems, or 150 square meters, of which at least 1 of collective solar thermal systems, within the past 3 years
- ⇒ For Egyptian companies: Provide a copy of the company's registration at the Chamber of Commerce or Industry .
- ⇒ For non Egyptian companies: Provide a copy of the company's registration at the Chamber of Commerce or Industry in its own country + the designation of a commercial agent in Egypt
- ⇒ Provide evidence of compliance with all applicable legislation in the sector

Eligibility criteria for solar thermal system installers (solar thermal suppliers and thermo-hydraulic professionals)

- ⇒ Having a minimum of 2 years of experience in the solar thermal installation sector
- ⇒ Having installed a minimum of 5 systems, or 30 square meters, within the past two years

⇒ Provide evidence of compliance with all applicable legislation in the sector

Eligibility criteria for solar thermal system maintenance operators

⇒ Having a minimum of 3 years of experience in the solar thermal sector

⇒ Having maintained a minimum of 3 systems, or 40 square meters, of which at least one collective solar thermal systems within the past 2 years

⇒ Provide evidence of compliance with all applicable legislation in the sector